

2025 CATALOG



ABOUT US

Baracatt Motorsport Tires is a young and innovative company dedicated to the manufacture and development of competition tires. BMT intends to be a relevant alternative. Understanding the rally scene, the need to provide an adequate balance between price, service and quality has become the Company's main target. We have developed our own brand by acquiring technology and recognized experience from Global brands and specialists.

With the intention of being able to serve a global market, in this phase, we are Initially developing the appropriate sizes to meet the main Rally Classes.

OUR QUALITY

Our products are developed with the highest standards demanded by the world of motorsport. Our innovation is focused on providing safety, performance and quality and we have a wide range of sizes in different compounds to provide our customers with the best options to suit different road conditions, climates and distances.



GRAVEL RALLY TIRES





BMT DMG 2

The BMT DMG 2 Gravel Rally tire benefits from an asymmetric design for maximum grip and drive. It is suitable for all kinds of cars, including R5, R2, R2N, Maxi Rally, and Proto.



BMT DMG3 PLUS

BMT DMG3 PLUS tyre in 13 and 14 inches is an evolution built upon our DMG3 model, featuring reinforced characteristics suitable for very abrasive and rocky surfaces. It provides greater resistance, grip, and durability.

Sizes.

Size	Model	Compound	Overall diameter	Thread width	Section	Wheel size (optimum)
175/70 R13	BMT DMG3	GS63 GH43 GH23+	595mm	146mm	165mm	5.5 (6) 7
175/65 R14	BMT DMG3	GS63 GH43 GH23+	589mm	146mm	165mm	5.5 (6) 7
175/70 R14	BMT DMG3	GS63 GH43 GH23+	595mm	146mm	165mm	5.5 (6) 7
185/65 R14	BMT DMG3	GS63 GH43 GH23+	598mm	175mm	185mm	6 (7)
175/70 R15	BMT DMG2	GS63 GH43 GH23	616mm	146mm	165mm	5.5 (6)
195/65 R15	BMT DMG2	GS63 GH43 GH23	633mm	168mm	188mm	6 (7)
205/65 R15	BMT DMG2	GS63 GH43 GH23	647mm	181mm	204mm	6.5 (7)

Recommended application.

neodimento approación															
Compo	und	Surface			Condition			Ambient Temp (°C)							
Hardness	Туре	Soft/Sandy (Smooth)	Packed (Abrasive)	Hard/Rocky (v. Abrasive)	Wet	Damp	Dry	-5	0	5	10	15	20	25	30+
Soft	GS63														
Medium	GH43														
Hard	GH23														

TARMAC TIRES





BMT DMT RC

Model tested in different European championships, now it is available in different sizes in four different compounds, we innovate to challenge tarmac roads around the world.

Sizes.

Size	Model	Compound	Overall diameter	Thread width	Section	Wheel size (optimum)
195/50 R15	BMT DMT - RC	XS83-S63-M43-H23	580mm	168mm	200mm	6 6.5 (7)
195/50 R16	BMT DMT - RC	XS83-S63-M43-H23	605mm	168mm	195mm	6 (7) 7.5
205/45-R17	BMT DMT - RC	XS83-S63-M43-H23	630mm	190mm	205mm	7 (7.5)
225/45 R17	BMT DMT - RC	XS 83 - S 63 - M 43 - H 23	647mm	212mm	226mm	7 (8)
225/40 R18	BMT DMT - RC	XS 83 - S 63 - M 43 - H 23	647mm	212mm	226mm	7.5 (8) 9

Recommended application.

Compound		(Condition			Ambient Temp (°C)							
Hardness	Туре	Wet	Damp	Dry	-5	0	5	10	15	20	25	30+	
Soft	XS												
Medium	М												
Hard	Н												

TRACKDAY TYRE RANGE



TRACKDAY

Delivering affordable performance at the track.


Our BMT Trackday tyres have been developed to deliver affordable high performance on trackday and racing cars.

They are Street legal, E marked, DOT certified and are available from 15 to 19".

Size Chart.

Size	Load	Speed
195/50 R15	82	V
205/50 R15	.89	W
225/45 R17	94XL	V
205/45 R17	84	W
225/40 R18	92	Υ
225/40 R18	95	Υ
245/40 R18	97XL	Y
235/35 R18	91XL	Υ





CONTACT:

info@baracattmotorsport.com



www.baracattmotorsport.com